

Powered by Confident Cannabis 1 of 4

Noble Nectar Sample: 2111HGL6760.26329 Strain: Grease Monkey 8750 84th St Noble, OK 73068 Sample Received: 11/16/2021; Report Created: 11/22/2021 preston@noble420.com (972) 757-2977 Concentrates & Extracts, Live Resin, Butane Lic. #PAAA-VJZG-KNP6 Lot#: GM002 Grease Monkey Live Cart Batch#: 777 Batch Size: g Cannabinoids Complete Total Cannabinoids: 64.69% **Total THC: 63.48%** Total CBD: ND LOQ THCa Δ9-THC Analyte Mass Mass % % mg/g 98.1 THCa 0.25 9.81 15.2% ∆9-THC 0.25 54.88 548.8 **∆8-THC** 0.25 ND ND THCV 0.25 <LOQ <LOQ CBDa 0.25 ND ND CBD 0.25 ND ND CBDV 0.25 ND ND CBN 0.25 ND ND CBGa 0.25 <LOQ <LOQ CBG 0.25 <LOQ <LOQ CBC 0.25 ND ND 84 8% 64.69 646.9 Total Date Tested: 11/22/2021 Analysis performed on Agilent Infinity II 1260 HPLC Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. 2200 S Prospect Ave **Confident Cannabis** Abiavil Buthart Oklahoma City, OK All Rights Reserved (405) 724-8444 support@confidentcannabis.com Abigail Burkhart REDITED ACC highgradelabs.com (866) 506-5866 Laboratory Director Lic# LAAA-NKSE-J8CM www.confidentcannabis.com This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 2 of 4

Mass

mg/g 32.3

9.0

8.7

8.4

8.1

3.7

2.1

1.1

1.0 0.8

0.7

0.7

0.6

0.6

0.5

0.5

0.4

ND

ND ND

ND

ND

ND

ND

ND ND

ND ND

ND

ND

ND

ND

ND

ND

ND

ND

ND

ND

ND

ND

<LOQ

<loq

79.1

<LOQ

Noble Nectar Sample: 2111HGL6760.26329 8750 84th St Strain: Grease Monkey Noble, OK 73068 Sample Received: 11/16/2021; Report Created: 11/22/2021 preston@noble420.com (972) 757-2977 Concentrates & Extracts, Live Resin, Butane Lic. #PAAA-VJZG-KNP6 Lot#: GM002 Grease Monkey Live Cart Batch#: 777 Batch Size: g Analyte LOQ Mass **Terpenes** β-Caryophyllene 3.23 Farnesene 0.90 Cedrol Camphene Limonene Farnesene Nerolidol 0.87 Limonene Valencene β-Pinene Terpinolene α-Pinene β-Myrcene α-Humulene 0.84 α-Cedrene cis-Nerolidol α-Humulene α-Bisabolol β-Myrcene 0.81 Geranyl Acetate β-Caryophyllene Caryophyllene Oxide Valencene 0.37 0.21 α-Cedrene α-Pinene 0.11 10.9% β-Pinene 0.10 Terpinolene 0.08 Nerolidol 0.07 0.07 Camphene Caryophyllene Oxide 0.06 α-Bisabolol 0.06 11.3% cis-Nerolidol 0.05 0.05 Geranyl Acetate 40.8% 0.04 Cedrol α-Phellandrene ND α-Terpinene ND α-Terpineol ND Borneol ND Camphor ND cis-Ocimene ND δ-3-Carene ND Endo-Fenchyl Alcohol ND Eucalyptol ND Fenchone ND 10.2% y-Terpinene ND y-Terpineol ND Geraniol ND <LOQ Guaiol 10.6% Hexahydro Thymol ND Isoborneol ND **Primary Aromas** Isopulegol ND Linalool ND Nerol ND Phytol ND Pulegone ND ND p-Cymene Magnolia Cinnamon Orange Sabinene ND Sabinene Hydrate ND trans-Nerolidol <LOQ trans-Ocimene <LOQ 7.91 Total Hops Wood

Date Tested: 11/22/2021; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2111HGL6760.26329

Strain: Grease Monkey

Sample Received: 11/16/2021; Report Created: 11/22/2021 Concentrates & Extracts, Live Resin, Butane

Grease Monkey Live Cart

Lot#: GM002 Batch#: 777 Batch Size: g

Pass

Solvents

Analyte	LOQ	Limit	Results
	PPM	PPM	PPM
Acetone	25.000	1000.000	ND
Benzene	1.000	2.000	ND
Butanes	25.000	1000.000	252.145
Ethanol	25.000	5000.000	29.690
Ethyl-Acetate	25.000	1000.000	ND
Heptanes	25.000	1000.000	ND
Isopropanol	25.000	1000.000	ND
Methanol	25.000	600.000	ND
n-Hexane	5.000	60.000	ND
Pentane	25.000	1000.000	ND
Propane	25.000	1000.000	ND
Toluene	25.000	180.000	ND
Xylenes	25.000	430.000	ND
Total			281.835

IVIICI ODIAIS			газэ
Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	1000Ŏ	NĎ	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 11/18/2021

Microhials

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Pass

Dace

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	<loq< th=""><th>Pass</th></loq<>	Pass
Cadmium	25	200	NĎ	Pass
Lead	25	500	<loq< th=""><th>Pass</th></loq<>	Pass
Mercury	10	100	<loq< th=""><th>Pass</th></loq<>	Pass

Date Tested: 11/18/2021

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter Notes:

Pass

Date Tested: 11/17/2021

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Confident Cannabis All Rights Reserved support@confidentcannabis.com



Laboratory Director

www.confidentcannabis.com

(866) 506-5866

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Pesticides

Sample: 2111HGL6760.26329 Strain: Grease Monkey

Sample Received: 11/16/2021; Report Created: 11/22/2021 Concentrates & Extracts, Live Resin, Butane

Grease Monkey Live Cart

Lot#: GM002 Batch#: 777 Batch Size: g



Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 11/19/2021


Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins				Pass
Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 11/19/2021

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01