

Powered by Confident Cannabis 1 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2203HGL1044.3471

Strain: Grease Monkey

Sample Received: 03/29/2022; Report Created: 04/01/2022 Concentrates & Extracts, Live Resin, Butane

Total Cannabinoids: 87.42%

Grease Monkey Live Resin

Lot#: GM003 Batch#: 845 Primary Sample Size: 2g





Cannabinoids

Total THC: 87.18%

Complete

Δ9-THC

Analyte	LOQ	Mass	Mass	CBGa
	%	%	mg/g	
ГНСа	0.20	96.18	961.8	
∆9-THC	0.20	2.83	28.3	
∆8-THC	0.20	ND	ND	
THCV	0.20	ND	ND	
CBDa	0.20	ND	ND	
CBD	0.20	ND	ND	
CBDV	0.20	ND	ND	
CBN	0.20	ND	ND	
CBGa	0.20	0.27	2.7	
CBG	0.20	ND	ND	
CBC	0.20	ND	ND	

Total CBD: ND

Date Tested: 03/31/2022

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Confident Cannabis All Rights Reserved




Abigail Burkhart Laboratory Director support@confidentcannabis.com

(866) 506-5866 www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 2 of 5







Abigail Burkhart Laboratory Director

Abiaquil Buthat

Confident Cannabis All Rights Reserved



support@confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2203HGL1044.3471

Concentrates & Extracts, Live Resin, Butane

Sample Received: 03/29/2022; Report Created: 04/01/2022

Strain: Grease Monkey

Grease Monkey Live Resin

Lot#: GM003 Batch#: 845 Primary Sample Size: 2g



Microbials			Pass
Analyte	Limit	Results	Status
Yeast & Mold Shiga Toxin E. Coli Salmonella Aspergillus fumigatus Aspergillus terreus	CFU/g 10000 1 1 1 1	CFU/g ND ND ND ND ND ND	Pass Pass Pass Pass Pass Pass Pass

Date Tested: 03/31/2022

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Pass				neavy Metals
Status	Results	Limit	LOQ	Analyte
	PPB	PPB	PPB	
Pass	40	200	25	Arsenic
Pass	<loq< td=""><td>200</td><td>25</td><td>Cadmium</td></loq<>	200	25	Cadmium
Pass	123	500	25	Lead
Pass	ND	100	10	Mercury
	40 <loq 123</loq 	200 200	25 25 25	Lead

Date Tested: 03/30/2022

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Notes:

Pass

Dacc

		<i>i</i>		
HIGHEST STA	2200 S Prospect Ave		Maine Bullaut	Confident Cannabis
	Oklahoma City, OK		Alique Durnan	All Rights Reserved
	(405) 724-8444			support@confidentcannabis.com
E. O	highgradelabs.com	ACCREDITED	Abigail Burkhart	(866) 506-5866
020 CLOHNNY	00		Laboratory Director	
3180	Lic# LAAA-NKSE-J8C	CM	Laboratory Director	www.confidentcannabis.com
This product has	been tested by Highgrade	e Labs in accordance with indu	stry standards for laboratory testing and in compliar	nce with all laws and regulations. Values reported relate only to the
				er risks associated with any detected or non-detected levels of any
				de Labs. The pass/fail limits for contaminants are set by the applicabl
				17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Solvents

Sample: 2203HGL1044.3471

Strain: Grease Monkey

Sample Received: 03/29/2022; Report Created: 04/01/2022 Concentrates & Extracts, Live Resin, Butane

Grease Monkey Live Resin

Lot#: GM003 Batch#: 845 Primary Sample Size: 2g



Pass

Analyte	LOQ Limit	Units	Status	Analyte	LOQ Limit	Units	Status
	PPM PPM	PPM			PPM PPM	PPM	
Acetone	25.0001000.000	ND	Pass	Methanol	25.000 600.000	ND	Pass
Benzene	1.000 2.000	ND	Pass	n-Hexane	5.000 60.000	ND	Pass
Butanes	25.0001000.000	<loq< th=""><th>Pass</th><th>Pentane</th><th>25.0001000.000</th><th>ND</th><th>Pass</th></loq<>	Pass	Pentane	25.0001000.000	ND	Pass
Ethanol	25.0005000.000	<loq< th=""><th>Pass</th><th>Propane</th><th>25.0001000.000</th><th>ND</th><th>Pass</th></loq<>	Pass	Propane	25.0001000.000	ND	Pass
Ethyl-Acetate	25.0001000.000	ND	Pass	Toluene	25.000 180.000	ND	Pass
Heptanes	25.0001000.000	ND	Pass	Xylenes	25.000 430.000	ND	Pass
Isopropanol	25.0001000.000	<loq< th=""><th>Pass</th><th></th><th></th><th></th><th></th></loq<>	Pass				

Date Tested: 03/31/2022 Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.









Confident Cannabis All Rights Reserved support@confidentcannabis.com



Abigail Burkhart Laboratory Director (866) 506-5866

www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 5 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Pesticides

Sample: 2203HGL1044.3471

Strain: Grease Monkey

Sample Received: 03/29/2022; Report Created: 04/01/2022 Concentrates & Extracts, Live Resin, Butane

Grease Monkey Live Resin

Lot#: GM003 Batch#: 845 Primary Sample Size: 2g



Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 03/31/2022

Notes:


Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins				Pass
Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 03/31/2022

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01