

Powered by Confident Cannabis

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6 Sample: 2201HGL0360.1302

Strain: Sherb Breath

Sample Received: 01/28/2022; Report Created: 02/02/2022 Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Breath Rosin Cart

Lot#: SB005 Batch#: R64 Batch Size: g





Cannabinoids


Total THC: 72.12%

Total CBD: <LOQ

Complete

Total Cannabinoids: 77.73%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.23	6.89	68.9
Δ9-THC	0.23	66.08	660.8
Δ8-THC	0.23	ND	ND
THCV	0.23	0.42	4.2
CBDa	0.23	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.23	ND	ND
CBDV	0.23	ND	ND
CBN	0.23	ND	ND
CBGa	0.23	2.00	20.0
CBG	0.23	1.92	19.2
CBC	0.23	0.42	4.2
Total		77.73	777.3



Date Tested: 02/02/2022

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6 Sample: 2201HGL0360.1302


Strain: Sherb Breath

Sample Received: 01/28/2022; Report Created: 02/02/2022 Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Breath Rosin Cart

Lot#: SB005 Batch#: R64 Batch Size: g





Analyte	LOQ	Mass	Mass
	%	%	mg/g
Limonene	0.02	4.35	43.5
β-Caryophyllene	0.02	0.94	9.4
α-Pinene	0.02	0.68	6.8
Linalool	0.02	0.46	4.6
α-Terpineol	0.02	0.41	4.1
α-Humulene	0.02	0.38	3.8
β-Myrcene	0.02	0.37	3.7
α-Bisabolol	0.02	0.32	3.2
Valencene	0.02	0.30	3.0
Farnesene	0.02	0.27	2.7
Camphene	0.02	0.26	2.6
Borneol	0.02	0.24	2.4
Fenchone	0.02	0.23	2.3
Terpinolene	0.02	0.09	0.9
α-Cedrene	0.02	0.08	0.8
Geraniol	0.02	0.04	0.4
Cedrol	0.02	0.04	0.4
Guaiol	0.02	0.03	0.3
Geranyl Acetate	0.02	0.03	0.3
Caryophyllene Oxide	0.02	0.03	0.3
Nerolidol	0.02	0.03	0.3
α-Phellandrene	0.02	ND	ND
α-Terpinene	0.02	ND	ND
β-Pinene	0.02	ND	ND
Camphor	0.02	ND	ND
cis-Ocimene	0.02	ND	ND
δ-3-Carene	0.02	ND	ND
Endo-Fenchyl Alcohol	0.02	ND	ND
Eucalyptol	0.02	ND	ND
y-Terpinene	0.02	ND	ND
γ-Terpineol	0.02	ND	ND
Hexahydro Thymol	0.02	ND	ND
Isoborneol	0.02	ND	ND
Isopulegol	0.02	ND	ND
Nerol	0.02	ND	ND
Phytol	0.02	ND	ND
Pulegone	0.02	ND	ND
p-Cymene	0.02	ND	ND
Sabinene	0.02	ND	ND
Sabinene Hydrate	0.02	ND	ND
trans-Ocimene	0.02	ND	ND
Total		9.57	95.7

Date Tested: 02/01/2022; Analysis performed on Agilent 7890A GCFID

Hops

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Lavender

2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



8750 84th St

Certificate of Analysis

Powered by Confident Cannabis

Noble Nectar Sample: 2201HGL0360.1302

Strain: Sherb Breath

Noble, OK 73068
preston@noble420.com
(972) 757-2977
Sample Received: 01/28/2022; Report Created: 02/02/2022
Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Breath Rosin Cart

Lic. #PAAA-VJZG-KNP6

Lot#: SB005 Batch#: R64 Batch Size: g



Microbials Analyte Results Status CFU/g Yeast & Mold Shiga Toxin E. Coli ND Pass Salmonella Pass Aspergillus niger Pass Aspergillus fumigatus Aspergillus terreus ND Pass Pass Aspergillus flavus

Date Tested: 01/31/2022

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals				Pass
Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	95	Pass
Cadmium	25	200	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	25	500	48	Pass
Mercury	10	100	<1.00	Pass

Date Tested: 01/31/2022

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter Pass

Notes:



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Sbiggil Bulhart

Abigail Burkhart Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6 Sample: 2201HGL0360.1302

Strain: Sherb Breath

Sample Received: 01/28/2022; Report Created: 02/02/2022 Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Breath Rosin Cart

Lot#: SB005 Batch#: R64 Batch Size: g



Solvents Pass

Analyte	LOQ Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM PPM	PPM			PPM	PPM	PPM	
Acetone	25.0001000.000	ND	Pass	Methanol	25.000	600.000	ND	Pass
Benzene	1.000 2.000	ND	Pass	n-Hexane	5.000	60.000	<loq< td=""><td>Pass</td></loq<>	Pass
Butanes	25.0001000.000	<loq< td=""><td>Pass</td><td>Pentane</td><td>25.000</td><td>1000.000</td><td>ND</td><td>Pass</td></loq<>	Pass	Pentane	25.000	1000.000	ND	Pass
Ethanol	25.0005000.000	35.259	Pass	Propane	25.000	1000.000	ND	Pass
Ethyl-Acetate	25.0001000.000	ND	Pass	Toluene	25.000	180.000	ND	Pass
Heptanes	25.0001000.000	ND	Pass	Xylenes	25.000	430.000	ND	Pass
Isopropanol	25.0001000.000	<100	Pass					

Date Tested: 02/02/2022

Notes

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis

Sample: 2201HGL0360.1302

Strain: Sherb Breath

Sample Received: 01/28/2022; Report Created: 02/02/2022 Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Breath Rosin Cart

Noble Nectar

preston@noble420.com (972) 757-2977

Lic. #PAAA-VJZG-KNP6

8750 84th St Noble, OK 73068

> Lot#: SB005 Batch#: R64 Batch Size: g



Pesticides

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	0.060	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 02/02/2022

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins **Pass**

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 02/02/2022

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 highgradelabs.com Lic# LAAA-NKSE-J8CM



Abigail Burkhart Laboratory Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for containants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01