

Powered by Confident Cannabis 1 of 4

Noble Nectar Sample: 2109HGL5488.21769 8750 84th St Strain: THCa Punch Noble, OK 73068 Sample Received: 09/10/2021; Report Created: 09/15/2021 preston@noble420.com (972) 757-2977 Concentrates & Extracts, Live Rosin, Pressing Lic. #PAAA-VJZG-KNP6 Lot#: Solventless THCa Batch#: R20 Batch Size: g Cannabinoids Complete Total THC: 85.01% Total CBD: ND **Total Cannabinoids: 97.09%** LOQ CBGa THCa Δ9-THC Analyte Mass Mass % % mg/g 943.4 THCa 0.19 94.34 ∆9-THC 0.19 2.27 22.7 **∆8-THC** 0.19 ND ND THCV 0.19 ND ND CBDa 0.19 ND ND CBD ND 0.19 ND CBDV 0.19 ND ND CBN 0.19 ND ND CBGa 0.19 0.48 4.8 CBG 0.19 ND ND CBC 0.19 ND ND 97.2% 97.09 970.9 Total Date Tested: 09/15/2021 Analysis performed on Agilent Infinity II 1260 HPLC Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. 2200 S Prospect Ave **Confident Cannabis** Abiavil Buthart Oklahoma City, OK All Rights Reserved (405) 724-8444 support@confidentcannabis.com Abigail Burkhart ACCREDITED highgradelabs.com (866) 506-5866 Laboratory Director Lic# LAAA-NKSE-J8CM www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 2 of 4

Mass

mg/g 3.1

3.1

2.3

2.3

1.8

1.5

1.0

0.9

0.9

0.9

0.9

0.8

0.8

0.8

0.8

0.7

0.6

ND

ND

ND

ND

ND

ND

ND

ND ND

ND ND

ND

ND

ND

ND

ND

ND

ND

ND ND

ND

ND


ND

ND

ND


ND

23.0



Date Tested: 09/13/2021; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.





support@confidentcannabis.com

(866) 506-5866

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Solventless THCa

Lot#: Batch#: R20 Batch Size: g

Pass

Solvents

| Analyte | LOQ | Limit | Results |
|---------------|--------|----------|---------------------|
| | PPM | PPM | PPM |
| Acetone | 25.000 | 1000.000 | <loq< th=""></loq<> |
| Benzene | 1.000 | 2.000 | ND |
| Butanes | 25.000 | 1000.000 | ND |
| Ethanol | 25.000 | 5000.000 | ND |
| Ethyl-Acetate | 25.000 | 1000.000 | ND |
| Heptanes | 25.000 | 1000.000 | ND |
| Isopropanol | 25.000 | 1000.000 | ND |
| Methanol | 25.000 | 600.000 | ND |
| n-Hexane | 5.000 | 60.000 | ND |
| Pentane | 25.000 | 1000.000 | ND |
| Propane | 25.000 | 1000.000 | ND |
| Toluene | 25.000 | 180.000 | ND |
| Xylenes | 25.000 | 430.000 | ND |
| Total | | | 0.000 |
| | | | |

Sample: 2109HGL5488.21769 Strain: THCa Punch

Sample Received: 09/10/2021; Report Created: 09/15/2021

Concentrates & Extracts, Live Rosin, Pressing



| Microbials | | | Pass |
|-----------------------|-------|---------|--------|
| Analyte | Limit | Results | Status |
| | CFU/g | CFU/g | |
| Yeast & Mold | 10000 | NĎ | Pass |
| Shiga Toxin E. Coli | 1 | ND | Pass |
| Salmonella | 1 | ND | Pass |
| Aspergillus niger | 1 | ND | Pass |
| Aspergillus fumigatus | 1 | ND | Pass |
| Aspergillus terreus | 1 | ND | Pass |
| Aspergillus flavus | 1 | ND | Pass |

Date Tested: 09/13/2021

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Pass

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|----------------------------------|--------|
| | PPB | PPB | PPB | |
| Arsenic | 25 | 200 | <loq< th=""><th>Pass</th></loq<> | Pass |
| Cadmium | 25 | 200 | <loq< th=""><th>Pass</th></loq<> | Pass |
| Lead | 25 | 500 | <loq< th=""><th>Pass</th></loq<> | Pass |
| Mercury | 10 | 100 | ND | Pass |
| | | | | |

Date Tested: 09/12/2021

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter Notes:

Pass

Date Tested: 09/14/2021

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Confident Cannabis All Rights Reserved



Laboratory Director

support@confidentcannabis.com

(866) 506-5866 www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Solventless THCa

Lot#: Batch#: R20 Batch Size: g

Pesticides

| Sample: 2109HGI | _5488.21769 |
|-----------------|-------------|
| | |

Strain: THCa Punch

Sample Received: 09/10/2021; Report Created: 09/15/2021 Concentrates & Extracts, Live Rosin, Pressing

Pass

| Analyte | LOQ | Limit | Units | Status | Analyte | LOQ | Limit | Units | Status |
|--------------|-------|-------|-------|--------|---------------|-------|-------|-------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Abamectin | 0.025 | 0.500 | ND | Pass | Myclobutanil | 0.025 | 0.200 | ND | Pass |
| Azoxystrobin | 0.025 | 0.200 | ND | Pass | Permethrins | 0.025 | 0.200 | ND | Pass |
| Bifenazate | 0.025 | 0.200 | ND | Pass | Spinosad | 0.025 | 0.200 | ND | Pass |
| Etoxazole | 0.025 | 0.200 | ND | Pass | Spiromesifen | 0.025 | 0.200 | ND | Pass |
| Imazalil | 0.025 | 0.200 | ND | Pass | Spirotetramat | 0.025 | 0.200 | ND | Pass |
| Imidacloprid | 0.025 | 0.400 | ND | Pass | Tebuconazole | 0.025 | 0.400 | ND | Pass |
| Malathion | 0.025 | 0.200 | ND | Pass | | | | | |

Date Tested: 09/15/2021

Notes:


Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

| | | | Pass |
|------|-------------|-----------------------|--|
| LOQ | Limit | Mass | Status |
| PPB | PPB | PPB | |
| 2.50 | 20.00 | ND | Pass |
| 2.50 | 20.00 | ND | Pass |
| | | | |
| | PPB 2.50 | РРВ РРВ 2.50 20.00 | РРВ РРВ РРВ 2.50 20.00 ND |

Date Tested: 09/15/2021

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01