

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2105HGL2923.12030R1

Strain: Energy Surge

Sample Received: 05/13/2021; Report Created: 05/27/2021  
Concentrates & Extracts, Live Resin, Other

## Energy Surge

Lot#:   
Batch#: 051121  
Batch Size: g



## Cannabinoids


Complete

Total THC: 67.31%

Total CBD: ND

| Analyte      | LOQ  | Mass         | Mass         |
|--------------|------|--------------|--------------|
|              | %    | %            | mg/g         |
| THCa         | 0.20 | 23.06        | 230.6        |
| Δ9-THC       | 0.20 | 47.09        | 470.9        |
| Δ8-THC       | 0.20 | ND           | ND           |
| THCV         | 0.20 | 0.27         | 2.7          |
| CBDa         | 0.20 | ND           | ND           |
| CBD          | 0.20 | ND           | ND           |
| CBDV         | 0.20 | ND           | ND           |
| CBN          | 0.20 | 0.23         | 2.3          |
| CBGa         | 0.20 | 2.70         | 27.0         |
| CBG          | 0.20 | ND           | ND           |
| CBC          | 0.20 | ND           | ND           |
| <b>Total</b> |      | <b>73.35</b> | <b>733.5</b> |

■ CBN
 ■ CBGa
 ■ THCa
 ■ THCV
 ■ Δ9-THC



Date Tested: 05/18/2021

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

## Sample: 2105HGL2923.12030R1

Strain: Energy Surge



Sample Received: 05/13/2021; Report Created: 05/27/2021  
Concentrates & Extracts, Live Resin, Other

## Energy Surge

Lot#:   
Batch#: 051121  
Batch Size: g



## Terpenes



| Analyte              | LOQ  | Mass         | Mass         |
|----------------------|------|--------------|--------------|
|                      | %    | %            | mg/g         |
| β-Caryophyllene      | 0.02 | 3.81         | 38.1         |
| Farnesene            | 0.02 | 2.86         | 28.6         |
| β-Myrcene            | 0.02 | 1.79         | 17.9         |
| Limonene             | 0.02 | 1.34         | 13.4         |
| Terpinolene          | 0.02 | 1.30         | 13.0         |
| α-Humulene           | 0.02 | 1.24         | 12.4         |
| Eucalyptol           | 0.02 | 0.58         | 5.8          |
| α-Pinene             | 0.02 | 0.49         | 4.9          |
| Valencene            | 0.02 | 0.46         | 4.6          |
| Geranyl Acetate      | 0.02 | 0.43         | 4.3          |
| β-Pinene             | 0.02 | 0.30         | 3.0          |
| Nerol                | 0.02 | 0.24         | 2.4          |
| α-Bisabolol          | 0.02 | 0.09         | 0.9          |
| Endo-Fenchyl Alcohol | 0.02 | 0.07         | 0.7          |
| cis-Ocimene          | 0.02 | 0.06         | 0.6          |
| Camphene             | 0.02 | 0.06         | 0.6          |
| δ-3-Carene           | 0.02 | 0.05         | 0.5          |
| α-Terpinene          | 0.02 | 0.04         | 0.4          |
| Linalool             | 0.02 | 0.04         | 0.4          |
| Guaiol               | 0.02 | 0.04         | 0.4          |
| α-Phellandrene       | 0.02 | 0.03         | 0.3          |
| trans-Nerolidol      | 0.02 | 0.03         | 0.3          |
| γ-Terpinene          | 0.02 | 0.03         | 0.3          |
| α-Cedrene            | 0.02 | <LOQ         | <LOQ         |
| α-Terpineol          | 0.02 | ND           | ND           |
| Borneol              | 0.02 | ND           | ND           |
| Camphor              | 0.02 | ND           | ND           |
| Caryophyllene Oxide  | 0.02 | <LOQ         | <LOQ         |
| Cedrol               | 0.02 | <LOQ         | <LOQ         |
| cis-Nerolidol        | 0.02 | ND           | ND           |
| Fenchone             | 0.02 | ND           | ND           |
| γ-Terpineol          | 0.02 | ND           | ND           |
| Geraniol             | 0.02 | ND           | ND           |
| Hexahydro Thymol     | 0.02 | ND           | ND           |
| Isoborneol           | 0.02 | ND           | ND           |
| Isopulegol           | 0.02 | ND           | ND           |
| Pulegone             | 0.02 | ND           | ND           |
| p-Cymene             | 0.02 | ND           | ND           |
| Sabinene             | 0.02 | ND           | ND           |
| Sabinene Hydrate     | 0.02 | ND           | ND           |
| trans-Ocimene        | 0.02 | ND           | ND           |
| <b>Total</b>         |      | <b>15.37</b> | <b>153.7</b> |

## Primary Aromas



Date Tested: 05/18/2021; Analysis performed on Agilent 7890A GC/FID  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.



# Certificate of Analysis

Powered by Confident Cannabis  
3 of 4

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

## Sample: 2105HGL2923.12030R1

Strain: Energy Surge

Sample Received: 05/13/2021; Report Created: 05/27/2021  
Concentrates & Extracts, Live Resin, Other

## Energy Surge

Lot#:   
Batch#: 051121  
Batch Size: g



### Solvents

Pass

| Analyte       | LOQ    | Limit    | Results        |
|---------------|--------|----------|----------------|
|               | PPM    | PPM      | PPM            |
| Acetone       | 25.000 | 1000.000 | <LOQ           |
| Benzene       | 1.000  | 2.000    | ND             |
| Butanes       | 25.000 | 1000.000 | 83.684         |
| Ethanol       | 25.000 | 5000.000 | 58.033         |
| Ethyl-Acetate | 25.000 | 1000.000 | ND             |
| Heptanes      | 25.000 | 1000.000 | ND             |
| Hexanes       | 5.000  | 60.000   | <LOQ           |
| Isopropanol   | 25.000 | 1000.000 | ND             |
| Methanol      | 25.000 | 600.000  | 33.526         |
| Pentane       | 25.000 | 1000.000 | ND             |
| Propane       | 25.000 | 1000.000 | ND             |
| Toluene       | 25.000 | 180.000  | ND             |
| Xylenes       | 25.000 | 430.000  | ND             |
| <b>Total</b>  |        |          | <b>175.242</b> |

### Microbials

Pass

| Analyte      | Limit | Results | Status |
|--------------|-------|---------|--------|
|              | CFU/g | CFU/g   |        |
| Yeast & Mold | 10000 | ND      | Pass   |
| E. Coli      | 1     | ND      | Pass   |
| Salmonella   | 1     | ND      | Pass   |
| Aspergillus  | 1     | ND      | Pass   |

Date Tested: 05/17/2021  
Aerobic plate count performed on 3M Petrifilm Aerobic Count Plates. E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. TNTC = Too Numerous to Count

Date Tested: 05/17/2021

Notes:  
Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Heavy Metals

Pass

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|---------|--------|
|         | PPB | PPB   | PPB     |        |
| Arsenic | 25  | 200   | <LOQ    | Pass   |
| Cadmium | 25  | 200   | <LOQ    | Pass   |
| Lead    | 25  | 500   | 42      | Pass   |
| Mercury | 10  | 100   | <LOQ    | Pass   |

Date Tested: 05/17/2021  
Analysis performed on Agilent 7800 ICP-MS  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

### Foreign Matter

Pass

Notes:



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.



# Certificate of Analysis

Powered by Confident Cannabis  
4 of 4

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2105HGL2923.12030R1

Strain: Energy Surge

Sample Received: 05/13/2021; Report Created: 05/27/2021  
Concentrates & Extracts, Live Resin, Other

## Energy Surge

Lot#:   
Batch#: 051121  
Batch Size: g



## Pesticides

Pass

| Analyte      | LOQ   | Limit | Units | Status | Analyte       | LOQ   | Limit | Units | Status |
|--------------|-------|-------|-------|--------|---------------|-------|-------|-------|--------|
|              | PPM   | PPM   | PPM   |        |               | PPM   | PPM   | PPM   |        |
| Abamectin    | 0.025 | 0.500 | ND    | Pass   | Myclobutanil  | 0.025 | 0.200 | ND    | Pass   |
| Azoxystrobin | 0.025 | 0.200 | ND    | Pass   | Permethrin    | 0.025 | 0.200 | ND    | Pass   |
| Bifenazate   | 0.025 | 0.200 | ND    | Pass   | Spinosad      | 0.025 | 0.200 | ND    | Pass   |
| Etoxazole    | 0.025 | 0.200 | ND    | Pass   | Spiromesifen  | 0.025 | 0.200 | ND    | Pass   |
| Imazalil     | 0.025 | 0.200 | ND    | Pass   | Spirotetramat | 0.025 | 0.200 | ND    | Pass   |
| Imidacloprid | 0.025 | 0.400 | ND    | Pass   | Tebuconazole  | 0.025 | 0.400 | ND    | Pass   |
| Malathion    | 0.025 | 0.200 | ND    | Pass   |               |       |       |       |        |

Date Tested: 05/17/2021

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Mycotoxins

Pass

| Analyte                            | LOQ  | Limit | Mass | Status |
|------------------------------------|------|-------|------|--------|
|                                    | PPB  | PPB   | PPB  |        |
| Total Aflatoxins (B1 B2 G1 and G2) | 2.50 | 20.00 | ND   | Pass   |
| Ochratoxin A                       | 2.50 | 20.00 | ND   | Pass   |

Date Tested: 05/17/2021

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested.