

Powered by Confident Cannabis 1 of 4


Noble Nectar Sample: 2109HGL5873.23123 8750 84th St Strain: Papaya Melon Noble, OK 73068 Sample Received: 09/29/2021; Report Created: 10/04/2021 preston@noble420.com (972) 757-2977 Concentrates & Extracts, Live Resin, Pressing Lic. #PAAA-VJZG-KNP6 Lot#: Papaya Melon Fresh Press Batch#: R28 Batch Size: g Cannabinoids Complete Total THC: 79.72% Total CBD: ND **Total Cannabinoids:** 91.07% LOQ CBGa THCa Δ9-THC Analyte Mass Mass % % mg/g 903.4 THCa 0.17 90.34 ∆9-THC 0.17 0.50 5.0 **∆8-THC** 0.17 ND ND THCV 0.17 ND ND CBDa 0.17 ND ND CBD ND 0.17 ND CBDV 0.17 ND ND CBN 0.17 ND ND CBGa 0.17 0.24 2.4 CBG 0.17 ND ND CBC 0.17 ND ND 99.2% 91.07 910.7 Total Date Tested: 10/04/2021 Analysis performed on Agilent Infinity II 1260 HPLC Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. 2200 S Prospect Ave **Confident Cannabis** Abianil Buthart Oklahoma City, OK All Rights Reserved (405) 724-8444 support@confidentcannabis.com Abigail Burkhart REDITED ACC highgradelabs.com (866) 506-5866 Laboratory Director Lic# LAAA-NKSE-J8CM www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 2 of 4



LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Abigail Burkhart

Abianil Buthat

Confident Cannabis All Rights Reserved support@confidentcannabis.com



(866) 506-5866

Laboratory Director

www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Papaya Melon Fresh Press

Lot#: Batch#: R28 Batch Size: g

Pass

Solvents

Analyte	LOQ	Limit	Results
	PPM	PPM	PPM
Acetone	25.000	1000.000	ND
Benzene	1.000	2.000	ND
Butanes	25.000	1000.000	315.182
Ethanol	25.000	5000.000	ND
Ethyl-Acetate	25.000	1000.000	ND
Heptanes	25.000	1000.000	ND
Isopropanol	25.000	1000.000	ND
Methanol	25.000	600.000	ND
n-Hexane	5.000	60.000	ND
Pentane	25.000	1000.000	ND
Propane	25.000	1000.000	ND
Toluene	25.000	180.000	ND
Xylenes	25.000	430.000	ND
Total			315.182

Sample: 2109HGL5873.23123 Strain: Papaya Melon

Sample Received: 09/29/2021; Report Created: 10/04/2021 Concentrates & Extracts, Live Resin, Pressing



Microbials			Pass
Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	1000Ŏ	NĎ	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 10/01/2021

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Pass

Analyte	LC	Q Lin	nit Results	Status
	PF	PB PF	PB PPB	
Arsenic		25 20	00 <loq< th=""><th>Pass</th></loq<>	Pass
Cadmium		25 20)0 <loò< th=""><th>Pass</th></loò<>	Pass
Lead		25 50	00 42	Pass
Mercury		10 10	00 <loq< th=""><th>Pass</th></loq<>	Pass

Date Tested: 10/01/2021

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter Notes:

Pass

Date Tested: 10/01/2021

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Confident Cannabis All Rights Reserved



Laboratory Director

support@confidentcannabis.com

www.confidentcannabis.com

(866) 506-5866

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 4

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Pesticides

Sample: 2109HGL5873.23123

Concentrates & Extracts, Live Resin, Pressing

Sample Received: 09/29/2021; Report Created: 10/04/2021

Strain: Papaya Melon

Papaya Melon Fresh Press

Lot#: Batch#: R28 Batch Size: g



Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	0.038	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	0.066	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 09/29/2021

Notes:


Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins				Pass
Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 09/29/2021

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01