

Powered by Confident Cannabis 1 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2204HGL1221.4038

Concentrates & Extracts, Live Rosin, Pressing

Sample Received: 04/13/2022; Report Created: 04/15/2022

Total Cannabinoids: 73.01%

Strain: Banana Guava

Banana Guava Fresh Press / Cartridge

Lot#: Batch#: R101 Primary Sample Size: 5g





Cannabinoids

Total THC: 69.87%

Complete

| | iotal CDD. | 0.2070 | 101 | |
|---------|------------|--------|-------|--------------------------|
| Analyte | LOQ | Mass | Mass | CBG 📕 CBDa 🔤 CBGa 📰 THCa |
| | % | % | mg/g | Δ9-THC |
| THCa | 0.21 | 77.59 | 775.9 | |
| Δ9-THC | 0.21 | 1.83 | 18.3 | |
| Δ8-THC | 0.21 | ND | ND | |
| THCV | 0.21 | ND | ND | |
| CBDa | 0.21 | 0.30 | 3.0 | |
| CBD | 0.21 | ND | ND | |
| CBDV | 0.21 | ND | ND | |
| CBN | 0.21 | ND | ND | |
| CBGa | 0.21 | 2.61 | 26.1 | |
| CBG | 0.21 | 0.59 | 5.9 | |
| CBC | 0.21 | ND | ND | |
| | | | | 93.6% |

Total CBD: 0.26%

Date Tested: 04/15/2022


Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + d9-THC Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Confident Cannabis All Rights Reserved support@confidentcannabis.com



Abigail Burkhart Laboratory Director



(866) 506-5866 www.confidentcannabis.com



Powered by Confident Cannabis 2 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2204HGL1221.4038

Concentrates & Extracts, Live Rosin, Pressing


Sample Received: 04/13/2022; Report Created: 04/15/2022

Strain: Banana Guava

Banana Guava Fresh Press / Cartridge

Lot#: Batch#: R101 Primary Sample Size: 5g





| Analyte | LOQ | Mass | Mass |
|----------------------|------|---|---------------------|
| | % | % | mg/g |
| β-Caryophyllene | 0.02 | 3.83 | 38.3 |
| Limonene | 0.02 | 2.57 | 25.7 |
| α-Humulene | 0.02 | 1.01 | 10.1 |
| Linalool | 0.02 | 0.99 | 9.9 |
| Valencene | 0.02 | 0.55 | 5.5 |
| Sabinene | 0.02 | 0.42 | 4.2 |
| α-Bisabolol | 0.02 | 0.34 | 3.4 |
| Nerolidol | 0.02 | 0.33 | 3.3 |
| α-Terpineol | 0.02 | 0.28 | 2.8 |
| α-Pinene | 0.02 | 0.27 | 2.7 |
| β-Myrcene | 0.02 | 0.25 | 2.5 |
| Endo-Fenchyl Alcohol | 0.02 | 0.24 | 2.4 |
| Farnesene | 0.02 | 0.09 | 0.9 |
| Camphene | 0.02 | 0.08 | 0.8 |
| Caryophyllene Oxide | 0.02 | 0.07 | 0.7 |
| α-Cedrene | 0.02 | 0.06 | 0.6 |
| Borneol | 0.02 | 0.04 | 0.4 |
| Terpinolene | 0.02 | 0.02 | 0.2 |
| α-Phellandrene | 0.02 | ND | ND |
| α-Terpinene | 0.02 | ND | ND |
| β-Pinene | 0.02 | ND | ND |
| Camphor | 0.02 | ND | ND |
| Cedrol | 0.02 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| cis-Ocimene | 0.02 | ND | ND |
| δ-3-Carene | 0.02 | ND | ND |
| Eucalyptol | 0.02 | ND | ND |
| Fenchone | 0.02 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| y-Terpinene | 0.02 | ND | ND |
| y-Terpineol | 0.02 | ND | ND |
| Geraniol | 0.02 | ND | ND |
| Geranyl Acetate | 0.02 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Guaiol | 0.02 | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| Hexahydro Thymol | 0.02 | ND | ND |
| Isoborneol | 0.02 | ND | ND |
| Isopulegol | 0.02 | ND | ND |
| Nerol | 0.02 | ND | ND |
| Phytol | 0.02 | ND | ND |
| Pulegone | 0.02 | ND | ND |
| p-Cymene | 0.02 | ND | ND |
| Sabinene Hydrate | 0.02 | ND | ND |
| trans-Ocimene | 0.02 | ND | ND |
| Total | | 11.44 | 114.4 |

Date Tested: 04/15/2022; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







Abianil Buthart

Confident Cannabis All Rights Reserved



Abigail Burkhart Laboratory Director support@confidentcannabis.com

(866) 506-5866 www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 3 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2204HGL1221.4038 Strain: Banana Guava

Sample Received: 04/13/2022; Report Created: 04/15/2022 Concentrates & Extracts, Live Rosin, Pressing

Banana Guava Fresh Press / Cartridge

Lot#: Batch#: R101 Primary Sample Size: 5g



| Microbials | | | Pass |
|--|---|-------------------------------------|--|
| Analyte | Limit | Results | Status |
| Yeast & Mold Shiga Toxin E. Coli Salmonella Aspergillus niger Aspergillus fumigatus Aspergillus terreus | CFU/g 10000 1 1 1 1 1 | CFU/g ND ND ND ND ND | Pass Pass Pass Pass Pass Pass Pass |
| Aspergillus flavus | 1 | ND | Pass |

Date Tested: 04/15/2022

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test perfomed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

| | | | Pass |
|-----|-----------------|---|---|
| LOQ | Limit | Results | Status |
| PPB | PPB | PPB | |
| 25 | 200 | 40 | Pass |
| 25 | 200 | <loq< td=""><td>Pass</td></loq<> | Pass |
| 25 | 500 | 178 | Pass |
| 10 | 100 | <loq< td=""><td>Pass</td></loq<> | Pass |
| | PPB 25 25 | PPB PPB 25 200 25 200 25 200 25 500 | PPB PPB PPB 25 200 40 25 200 <loq< td=""> 25 500 178</loq<> |

Date Tested: 04/14/2022

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Notes:

Pass

Daca

| HEHEST ST PHONE | 2200 S Prospect Ave Oklahoma City, OK (405) 724-8444 | | Abiagail Builduit | Confident Cannabis All Rights Reserved support@confidentcannabis.com |
|------------------|--|---------------------|--|--|
| LIJU SIANNUS | highgradelabs.com | NITED | Abigail Burkhart Laboratory Director | (866) 506-5866 (866) www.confidentcannabis.com |
| sample tested. S | Samples were tested on an as-receiv | ed basis. Highgrade | Labs makes no claims as to the efficacy, safety or oth | ance with all laws and regulations. Values reported relations risks associated with any detected or non-detected |

te only to the levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 4 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2204HGL1221.4038

Concentrates & Extracts, Live Rosin, Pressing

Sample Received: 04/13/2022; Report Created: 04/15/2022

Strain: Banana Guava

Banana Guava Fresh Press / Cartridge

Lot#: Batch#: R101 Primary Sample Size: 5g



Pass

Solvents

| Analyte | LOQ Limit | Units | Status | Analyte | LOQ Limit | Units | Status |
|---------------|----------------|---|--------|----------|----------------|----------------------------------|--------|
| | PPM PPM | PPM | | | PPM PPM | PPM | |
| Acetone | 25.0001000.000 | <loq< th=""><th>Pass</th><th>Methanol</th><th>25.000 600.000</th><th><loq< th=""><th>Pass</th></loq<></th></loq<> | Pass | Methanol | 25.000 600.000 | <loq< th=""><th>Pass</th></loq<> | Pass |
| Benzene | 1.000 2.000 | ND | Pass | n-Hexane | 5.000 60.000 | ND | Pass |
| Butanes | 25.0001000.000 | ND | Pass | Pentane | 25.0001000.000 | ND | Pass |
| Ethanol | 25.0005000.000 | <loq< th=""><th>Pass</th><th>Propane</th><th>25.0001000.000</th><th>ND</th><th>Pass</th></loq<> | Pass | Propane | 25.0001000.000 | ND | Pass |
| Ethyl-Acetate | 25.0001000.000 | ND | Pass | Toluene | 25.000 180.000 | ND | Pass |
| Heptanes | 25.0001000.000 | ND | Pass | Xylenes | 25.000 430.000 | ND | Pass |
| Isopropanol | 25.0001000.000 | <loq< th=""><th>Pass</th><th></th><th></th><th></th><th></th></loq<> | Pass | | | | |

Date Tested: 04/15/2022 Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.









Confident Cannabis All Rights Reserved



Abigail Burkhart Laboratory Director support@confidentcannabis.com

(866) 506-5866 www.confidentcannabis.com

This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Powered by Confident Cannabis 5 of 5

Noble Nectar

8750 84th St Noble, OK 73068 preston@noble420.com (972) 757-2977 Lic. #PAAA-VJZG-KNP6

Sample: 2204HGL1221.4038

Concentrates & Extracts, Live Rosin, Pressing

Sample Received: 04/13/2022; Report Created: 04/15/2022

Strain: Banana Guava

Banana Guava Fresh Press / Cartridge

Lot#: Batch#: R101 Primary Sample Size: 5g



Pass

Pesticides

| Analyte | LOQ | Limit | Units | Status | Analyte | LOQ | Limit | Units | Status |
|--------------|-------|-------|-------|--------|---------------|-------|-------|-------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Abamectin | 0.025 | 0.500 | ND | Pass | Myclobutanil | 0.025 | 0.200 | ND | Pass |
| Azoxystrobin | 0.025 | 0.200 | ND | Pass | Permethrins | 0.025 | 0.200 | ND | Pass |
| Bifenazate | 0.025 | 0.200 | ND | Pass | Spinosad | 0.025 | 0.200 | ND | Pass |
| Etoxazole | 0.025 | 0.200 | ND | Pass | Spiromesifen | 0.025 | 0.200 | ND | Pass |
| Imazalil | 0.025 | 0.200 | ND | Pass | Spirotetramat | 0.025 | 0.200 | ND | Pass |
| Imidacloprid | 0.025 | 0.400 | 0.241 | Pass | Tebuconazole | 0.025 | 0.400 | ND | Pass |
| Malathion | 0.025 | 0.200 | ND | Pass | | | | | |

Date Tested: 04/15/2022

Notes:


Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

| Mycotoxins | | | | Pass |
|--------------|------|-------|------|--------|
| Analyte | LOQ | Limit | Mass | Status |
| | PPB | PPB | PPB | |
| Aflatoxins | 2.50 | 20.00 | ND | Pass |
| Ochratoxin A | 2.50 | 20.00 | ND | Pass |
| | | | | |

Date Tested: 04/15/2022

Notes: LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01