

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2205HGL1605.5186

Strain: Gas Pump

Sample Received: 05/17/2022; Report Created: 05/20/2022  
Concentrates & Extracts, Rosin, Ice/Water

## Gas Pump

Lot#: GP001  
Batch#: GP001  
Primary Sample Size: 2g



## Cannabinoids

Complete


Total THC: 68.96%

Total CBD: 0.20%

Total Cannabinoids: 73.72%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.21	75.49	754.9
Δ9-THC	0.21	2.75	27.5
Δ8-THC	0.21	ND	ND
THCV	0.21	ND	ND
CBDa	0.21	0.22	2.2
CBD	0.21	ND	ND
CBDV	0.21	ND	ND
CBN	0.21	ND	ND
CBGa	0.21	4.74	47.4
CBG	0.21	0.40	4.0
CBC	0.21	ND	ND

Legend: CBG (blue), CBDa (purple), CBGa (light blue), THCa (green), Δ9-THC (teal)



Date Tested: 05/19/2022  
Analysis performed on Agilent Infinity II 1260 HPLC  
Total THC = THCa \* 0.877 + d9-THC  
Total CBD = CBDa \* 0.877 + CBD  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2205HGL1605.5186

Strain: Gas Pump


Sample Received: 05/17/2022; Report Created: 05/20/2022  
Concentrates & Extracts, Rosin, Ice/Water

## Gas Pump

Lot#: GP001  
Batch#: GP001  
Primary Sample Size: 2g



## Terpenes



Analyte	LOQ %	Mass %	Mass mg/g
Limonene	0.02	2.66	26.6
beta-Myrcene	0.02	2.10	21.0
beta-Caryophyllene	0.02	0.98	9.8
Farnesene	0.02	0.48	4.8
beta-Pinene	0.02	0.29	2.9
alpha-Pinene	0.02	0.24	2.4
alpha-Pinene	0.02	0.23	2.3
alpha-Terpineol	0.02	0.20	2.0
Linalool	0.02	0.19	1.9
Guaiol	0.02	0.19	1.9
alpha-Bisabolol	0.02	0.19	1.9
Cedrol	0.02	0.18	1.8
Nerolidol	0.02	0.17	1.7
Endo-Fenchyl Alcohol	0.02	0.15	1.5
Valencene	0.02	0.13	1.3
Camphene	0.02	0.06	0.6
Caryophyllene Oxide	0.02	0.05	0.5
alpha-Cedrene	0.02	0.03	0.3
Terpinolene	0.02	0.03	0.3
Borneol	0.02	0.02	0.2
alpha-Phellandrene	0.02	ND	ND
alpha-Terpinene	0.02	ND	ND
Camphor	0.02	ND	ND
cis-Ocimene	0.02	ND	ND
delta-3-Carene	0.02	ND	ND
Eucalyptol	0.02	ND	ND
Fenchone	0.02	<LOQ	<LOQ
gamma-Terpinene	0.02	ND	ND
gamma-Terpineol	0.02	ND	ND
Geraniol	0.02	<LOQ	<LOQ
Geranyl Acetate	0.02	<LOQ	<LOQ
Hexahydro Thymol	0.02	ND	ND
Isoborneol	0.02	ND	ND
Isopulegol	0.02	ND	ND
Nerol	0.02	ND	ND
Phytol	0.02	ND	ND
Pulegone	0.02	ND	ND
p-Cymene	0.02	ND	ND
Sabinene	0.02	ND	ND
Sabinene Hydrate	0.02	ND	ND
trans-Ocimene	0.02	ND	ND
<b>Total</b>		<b>8.58</b>	<b>85.8</b>

## Primary Aromas



Orange



Hops



Cinnamon



Magnolia



Pine

Date Tested: 05/19/2022; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866

www.confidentcannabis.com





# Certificate of Analysis

Powered by Confident Cannabis  
3 of 5

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2205HGL1605.5186

Strain: Gas Pump

Sample Received: 05/17/2022; Report Created: 05/20/2022  
Concentrates & Extracts, Rosin, Ice/Water

## Gas Pump

Lot#: GP001  
Batch#: GP001  
Primary Sample Size: 2g



## Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 05/20/2022  
E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

## Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	34	Pass
Cadmium	25	200	<LOQ	Pass
Lead	25	500	150	Pass
Mercury	10	100	<LOQ	Pass

Date Tested: 05/18/2022  
Analysis performed on Agilent 7800 ICP-MS  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Foreign Matter

Pass

Notes:



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



# Certificate of Analysis

Powered by Confident Cannabis  
4 of 5

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

Sample: 2205HGL1605.5186

Strain: Gas Pump

Sample Received: 05/17/2022; Report Created: 05/20/2022  
Concentrates & Extracts, Rosin, Ice/Water

## Gas Pump

Lot#: GP001  
Batch#: GP001  
Primary Sample Size: 2g



## Solvents

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	25.000	1000.000	ND	Pass	Methanol	25.000	600.000	ND	Pass
Benzene	1.000	2.000	ND	Pass	n-Hexane	5.000	60.000	ND	Pass
Butanes	25.000	1000.000	ND	Pass	Pentane	25.000	1000.000	ND	Pass
Ethanol	25.000	5000.000	ND	Pass	Propane	25.000	1000.000	ND	Pass
Ethyl-Acetate	25.000	1000.000	ND	Pass	Toluene	25.000	180.000	ND	Pass
Heptanes	25.000	1000.000	ND	Pass	Xylenes	25.000	430.000	ND	Pass
Isopropanol	25.000	1000.000	ND	Pass					

Date Tested: 05/19/2022

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



# Certificate of Analysis

Powered by Confident Cannabis  
5 of 5

## Noble Nectar

8750 84th St  
Noble, OK 73068  
preston@noble420.com  
(972) 757-2977  
Lic. #PAAA-VJZG-KNP6

## Sample: 2205HGL1605.5186

Strain: Gas Pump

Sample Received: 05/17/2022; Report Created: 05/20/2022  
Concentrates & Extracts, Rosin, Ice/Water

## Gas Pump

Lot#: GP001  
Batch#: GP001  
Primary Sample Size: 2g



## Pesticides

### Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	0.173	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 05/19/2022

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

## Mycotoxins

### Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 05/19/2022

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 724-8444  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01