

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2201HGL0106.0411

Strain: Cherry Diesel

Sample Received: 01/11/2022; Report Created: 01/14/2022
Concentrates & Extracts, Rosin, Ice/Water

Cherry Diesel Rosin Cartridge

Lot#: CD003
Batch#: R61
Batch Size: g



Cannabinoids

Complete


Total THC: 70.28%

Total CBD: <LOQ

Total Cannabinoids: 75.51%

Analyte	LOQ	Mass	Mass
	%	%	mg/g
THCa	0.18	7.17	71.7
Δ9-THC	0.18	64.00	640.0
Δ8-THC	0.18	ND	ND
THCV	0.18	ND	ND
CBDa	0.18	<LOQ	<LOQ
CBD	0.18	ND	ND
CBDV	0.18	ND	ND
CBN	0.18	ND	ND
CBGa	0.18	2.03	20.3
CBG	0.18	1.97	19.7
CBC	0.18	0.35	3.5
Total		75.51	755.1

■ CBC
 ■ CBG
 ■ CBGa
 ■ THCa
 ■ Δ9-THC



Date Tested: 01/14/2022
 Analysis performed on Agilent Infinity II 1260 HPLC
 Total THC = THCa * 0.877 + d9-THC
 Total CBD = CBDa * 0.877 + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2201HGL0106.0411

Strain: Cherry Diesel



Sample Received: 01/11/2022; Report Created: 01/14/2022
Concentrates & Extracts, Rosin, Ice/Water

Cherry Diesel Rosin Cartridge

Lot#: CD003
Batch#: R61
Batch Size: g



Terpenes



Analyte	LOQ	Mass	Mass
	%	%	mg/g
Limonene	0.02	4.79	47.9
alpha-Pinene	0.02	0.98	9.8
alpha-Terpineol	0.02	0.49	4.9
Borneol	0.02	0.48	4.8
Endo-Fenchyl Alcohol	0.02	0.42	4.2
trans-Ocimene	0.02	0.37	3.7
Linalool	0.02	0.36	3.6
beta-Myrcene	0.02	0.30	3.0
alpha-Bisabolol	0.02	0.30	3.0
beta-Caryophyllene	0.02	0.21	2.1
Cedrol	0.02	0.21	2.1
Camphene	0.02	0.17	1.7
Hexahydro Thymol	0.02	0.13	1.3
alpha-Humulene	0.02	0.10	1.0
Farnesene	0.02	0.07	0.7
Terpinolene	0.02	0.05	0.5
alpha-Cedrene	0.02	0.04	0.4
Valencene	0.02	0.04	0.4
alpha-Phellandrene	0.02	ND	ND
alpha-Terpinene	0.02	ND	ND
beta-Pinene	0.02	ND	ND
Camphor	0.02	<LOQ	<LOQ
Caryophyllene Oxide	0.02	<LOQ	<LOQ
cis-Ocimene	0.02	ND	ND
delta-3-Carene	0.02	ND	ND
Eucalyptol	0.02	ND	ND
Fenchone	0.02	<LOQ	<LOQ
gamma-Terpinene	0.02	ND	ND
gamma-Terpineol	0.02	<LOQ	<LOQ
Geraniol	0.02	<LOQ	<LOQ
Geranyl Acetate	0.02	<LOQ	<LOQ
Guaiol	0.02	<LOQ	<LOQ
Isoborneol	0.02	<LOQ	<LOQ
Isopulegol	0.02	ND	ND
Nerol	0.02	<LOQ	<LOQ
Nerolidol	0.02	<LOQ	<LOQ
Phytol	0.02	ND	ND
Pulegone	0.02	<LOQ	<LOQ
p-Cymene	0.02	ND	ND
Sabinene	0.02	ND	ND
Sabinene Hydrate	0.02	<LOQ	<LOQ
Total		9.51	95.1

Primary Aromas



Orange



Pine



Fresh



Basil



Earthy

Date Tested: 01/14/2022; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis

All Rights Reserved

support@confidentcannabis.com

(866) 506-5866

www.confidentcannabis.com





Certificate of Analysis

Powered by Confident Cannabis
3 of 4

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2201HGL0106.0411

Strain: Cherry Diesel

Sample Received: 01/11/2022; Report Created: 01/14/2022
Concentrates & Extracts, Rosin, Ice/Water

Cherry Diesel Rosin Cartridge

Lot#: CD003
Batch#: R61
Batch Size: g



Solvents

Pass

Analyte	LOQ	Limit	Results
	PPM	PPM	PPM
Acetone	25.000	1000.000	ND
Benzene	1.000	2.000	ND
Butanes	25.000	1000.000	ND
Ethanol	25.000	5000.000	<LOQ
Ethyl-Acetate	25.000	1000.000	ND
Heptanes	25.000	1000.000	ND
Isopropanol	25.000	1000.000	ND
Methanol	25.000	600.000	ND
n-Hexane	5.000	60.000	<LOQ
Pentane	25.000	1000.000	ND
Propane	25.000	1000.000	ND
Toluene	25.000	180.000	ND
Xylenes	25.000	430.000	ND
Total			0.000

Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Yeast & Mold	10000	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Date Tested: 01/13/2022
E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Date Tested: 01/13/2022

Notes:
Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	87	Pass
Cadmium	25	200	<LOQ	Pass
Lead	25	500	178	Pass
Mercury	10	100	ND	Pass

Date Tested: 01/13/2022
Analysis performed on Agilent 7800 ICP-MS
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Pass

Notes:



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
4 of 4

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2201HGL0106.0411

Strain: Cherry Diesel

Sample Received: 01/11/2022; Report Created: 01/14/2022
Concentrates & Extracts, Rosin, Ice/Water

Cherry Diesel Rosin Cartridge

Lot#: CD003
Batch#: R61
Batch Size: g



Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	ND	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoxazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	0.118	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 01/14/2022

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 01/14/2022

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhart

Abigail Burkhart
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01