



Certificate of Analysis

Powered by Confident Cannabis
1 of 5

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2202HGL0440.1513

Strain: Sherb Crasher

Sample Received: 02/07/2022; Report Created: 02/10/2022
Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Crasher Rosin Cart

Lot#: SC005
Batch#: R69
Batch Size: g



Cannabinoids

Complete


Total THC: 65.92%

Total CBD: ND

Total Cannabinoids: 73.51%

| Analyte | LOQ | Mass | Mass |
|---------|------|-------|-------|
| | % | % | mg/g |
| THCa | 0.22 | 0.79 | 7.9 |
| Δ9-THC | 0.22 | 65.22 | 652.2 |
| Δ8-THC | 0.22 | ND | ND |
| THCV | 0.22 | 0.29 | 2.9 |
| CBDa | 0.22 | ND | ND |
| CBD | 0.22 | ND | ND |
| CBDV | 0.22 | ND | ND |
| CBN | 0.22 | ND | ND |
| CBGa | 0.22 | 2.11 | 21.1 |
| CBG | 0.22 | 4.13 | 41.3 |
| CBC | 0.22 | 0.97 | 9.7 |
| Total | | 73.51 | 735.1 |

CBC CBG CBGa THCa
THCV Δ9-THC



Date Tested: 02/09/2022

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
2 of 5

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2202HGL0440.1513

Strain: Sherb Crasher

Sample Received: 02/07/2022; Report Created: 02/10/2022


Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Crasher Rosin Cart

Lot#: SC005
Batch#: R69
Batch Size: g



Terpenes



| Analyte | LOQ | Mass | Mass |
|----------------------|------|------|------|
| | % | % | mg/g |
| Limonene | 0.02 | 3.60 | 36.0 |
| β-Myrcene | 0.02 | 1.48 | 14.8 |
| β-Caryophyllene | 0.02 | 0.82 | 8.2 |
| α-Pinene | 0.02 | 0.45 | 4.5 |
| Fenchone | 0.02 | 0.36 | 3.6 |
| α-Terpineol | 0.02 | 0.28 | 2.8 |
| Borneol | 0.02 | 0.23 | 2.3 |
| α-Humulene | 0.02 | 0.22 | 2.2 |
| Linalool | 0.02 | 0.22 | 2.2 |
| α-Cedrene | 0.02 | 0.13 | 1.3 |
| Valencene | 0.02 | 0.13 | 1.3 |
| Farnesene | 0.02 | 0.11 | 1.1 |
| Camphene | 0.02 | 0.10 | 1.0 |
| Nerolidol | 0.02 | 0.09 | 0.9 |
| Endo-Fenchyl Alcohol | 0.02 | 0.04 | 0.4 |
| Terpinolene | 0.02 | 0.03 | 0.3 |
| α-Bisabolol | 0.02 | <LOQ | <LOQ |
| α-Phellandrene | 0.02 | ND | ND |
| α-Terpineol | 0.02 | ND | ND |
| β-Pinene | 0.02 | ND | ND |
| Camphor | 0.02 | <LOQ | <LOQ |
| Caryophyllene Oxide | 0.02 | <LOQ | <LOQ |
| Cedrol | 0.02 | <LOQ | <LOQ |
| cis-Ocimene | 0.02 | ND | ND |
| δ-3-Carene | 0.02 | ND | ND |
| Eucalyptol | 0.02 | ND | ND |
| γ-Terpinene | 0.02 | ND | ND |
| γ-Terpineol | 0.02 | ND | ND |
| Geraniol | 0.02 | <LOQ | <LOQ |
| Geranyl Acetate | 0.02 | <LOQ | <LOQ |
| Guaiaol | 0.02 | <LOQ | <LOQ |
| Hexahydro Thymol | 0.02 | ND | ND |
| Isoborneol | 0.02 | ND | ND |
| Isopulegol | 0.02 | ND | ND |
| Nerol | 0.02 | ND | ND |
| Phytol | 0.02 | ND | ND |
| Pulegone | 0.02 | ND | ND |
| p-Cymene | 0.02 | ND | ND |
| Sabinene | 0.02 | ND | ND |
| Sabinene Hydrate | 0.02 | <LOQ | <LOQ |
| trans-Ocimene | 0.02 | ND | ND |
| Total | | 8.28 | 82.8 |

Primary Aromas



Orange



Hops



Cinnamon



Pine



Licorice

Date Tested: 02/09/2022; Analysis performed on Agilent 7890A GCFID

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
3 of 5

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2202HGL0440.1513

Strain: Sherb Crasher

Sample Received: 02/07/2022; Report Created: 02/10/2022
Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Crasher Rosin Cart

Lot#: SC005
Batch#: R69
Batch Size: g



Microbials

Pass

| Analyte | Limit | Results | Status |
|-----------------------|-------|---------|--------|
| | CFU/g | CFU/g | |
| Yeast & Mold | 10000 | ND | Pass |
| Shiga Toxin E. Coli | 1 | ND | Pass |
| Salmonella | 1 | ND | Pass |
| Aspergillus niger | 1 | ND | Pass |
| Aspergillus fumigatus | 1 | ND | Pass |
| Aspergillus terreus | 1 | ND | Pass |
| Aspergillus flavus | 1 | ND | Pass |

Date Tested: 02/08/2022

E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate.

Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count

Heavy Metals

Pass

| Analyte | LOQ | Limit | Results | Status |
|---------|-----|-------|---------|--------|
| | PPB | PPB | PPB | |
| Arsenic | 25 | 200 | 71 | Pass |
| Cadmium | 25 | 200 | <LOQ | Pass |
| Lead | 25 | 500 | 115 | Pass |
| Mercury | 10 | 100 | 44 | Pass |

Date Tested: 02/08/2022

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Foreign Matter

Pass

Notes:



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
4 of 5

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2202HGL0440.1513

Strain: Sherb Crasher

Sample Received: 02/07/2022; Report Created: 02/10/2022
Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Crasher Rosin Cart

Lot#: SC005
Batch#: R69
Batch Size: g



Solvents

Pass

| Analyte | LOQ | Limit | Units | Status | Analyte | LOQ | Limit | Units | Status |
|---------------|--------|----------|---------|--------|----------|--------|----------|-------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Acetone | 25.000 | 1000.000 | ND | Pass | Methanol | 25.000 | 600.000 | ND | Pass |
| Benzene | 1.000 | 2.000 | ND | Pass | n-Hexane | 5.000 | 60.000 | ND | Pass |
| Butanes | 25.000 | 1000.000 | ND | Pass | Pentane | 25.000 | 1000.000 | ND | Pass |
| Ethanol | 25.000 | 5000.000 | 111.026 | Pass | Propane | 25.000 | 1000.000 | ND | Pass |
| Ethyl-Acetate | 25.000 | 1000.000 | ND | Pass | Toluene | 25.000 | 180.000 | ND | Pass |
| Heptanes | 25.000 | 1000.000 | ND | Pass | Xylenes | 25.000 | 430.000 | ND | Pass |
| Isopropanol | 25.000 | 1000.000 | 32.722 | Pass | | | | | |

Date Tested: 02/09/2022

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



Certificate of Analysis

Powered by Confident Cannabis
5 of 5

Noble Nectar

8750 84th St
Noble, OK 73068
preston@noble420.com
(972) 757-2977
Lic. #PAAA-VJZG-KNP6

Sample: 2202HGL0440.1513

Strain: Sherb Crasher

Sample Received: 02/07/2022; Report Created: 02/10/2022
Concentrates & Extracts, Live Rosin, Ice/Water

Sherb Crasher Rosin Cart

Lot#: SC005
Batch#: R69
Batch Size: g



Pesticides

Pass

| Analyte | LOQ | Limit | Units | Status | Analyte | LOQ | Limit | Units | Status |
|--------------|-------|-------|-------|--------|---------------|-------|-------|-------|--------|
| | PPM | PPM | PPM | | | PPM | PPM | PPM | |
| Abamectin | 0.025 | 0.500 | ND | Pass | Myclobutanil | 0.025 | 0.200 | ND | Pass |
| Azoxystrobin | 0.025 | 0.200 | ND | Pass | Permethrins | 0.025 | 0.200 | ND | Pass |
| Bifenazate | 0.025 | 0.200 | ND | Pass | Spinosad | 0.025 | 0.200 | ND | Pass |
| Etoazole | 0.025 | 0.200 | ND | Pass | Spiromesifen | 0.025 | 0.200 | ND | Pass |
| Imazalil | 0.025 | 0.200 | ND | Pass | Spirotetramat | 0.025 | 0.200 | ND | Pass |
| Imidacloprid | 0.025 | 0.400 | 0.132 | Pass | Tebuconazole | 0.025 | 0.400 | ND | Pass |
| Malathion | 0.025 | 0.200 | ND | Pass | | | | | |

Date Tested: 02/10/2022

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Mycotoxins

Pass

| Analyte | LOQ | Limit | Mass | Status |
|--------------|------|-------|------|--------|
| | PPB | PPB | PPB | |
| Aflatoxins | 2.50 | 20.00 | ND | Pass |
| Ochratoxin A | 2.50 | 20.00 | ND | Pass |

Date Tested: 02/10/2022

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave
Oklahoma City, OK
(405) 724-8444
highgradelabs.com
Lic# LAAA-NKSE-J8CM



Abigail Burkhardt

Abigail Burkhardt
Laboratory Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01